4

	Application No.	Applicant(s)
Notice of Allowability	10/521,757	IIJIMA, TADAYOSHI
	Examiner	Art Unit
	Daniel Zirker	1771
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>Response dated 10/27/06</u> .		
2. X The allowed claim(s) is/are <u>1,3-10 and 12-17</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		''
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7.	ate Iment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	 8. ☑ Examiner's Statem 9. ☐ Other 	ent of Reasons for Allowance
		·

Page 2

Application/Control Number: 10/521,757

Art Unit: 1771

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The Examiner finds that he agrees with a majority of applicants' arguments presented in his Response dated October 27, 2006, although a few comments are deemed necessary in an effort to further clarify the record. Initially he notes that applicants' Summary of the Invention points out a few highlights of the invention, certain of which have already been pointed out by applicants. That is, by adding a photopolymerization initiator and/or a photosensitizer to the high refractive index layer containing the metal oxide particles the curing reaction of the curable component in the adhesive impregnating this layer is facilitated following the transfer of the antireflection layer, with the high refractive index layer becoming harder and the antireflection layer acquiring a high solvent resistance. Such a result is neither taught or hinted at by the prior art. As to applicants' comments in the Response they generally appear to be on point, although it must be noted that Oka et al teaches several Examples (A-11 to A-14) that do employ electron beam curable pressure sensitive adhesives, applicants' remarks to the contrary notwithstanding.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1771

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel Zirker whose telephone number is 571-272-1486. The examiner can normally be reached on 5-4-8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Daniel Zirker Primary Examiner Art Unit 1771

Daniel Zirker
